ENGINEERING DEPARTMENT

OFFICE OF THE EXECUTIVE ENGINEER, WATER SUPPLY DIVISION, BANGALORE.

Abstract Notification dated 26th April 1939.

The attention of the public is invited to the detailed notification, published in the *Mysore Gazette*, dated 4th May 1939, Part VI, pages 829-831, relating to the sale at the public auction of certain unserviceable Tools and Plant articles and serviceable Tools, at the premises of the office of the Executive Engineer, Water Supply Division, Bangalore and the "Race View", Race Course Road, on the 22nd, 24th and 26th May 1939.

Notification dated 5th May 1939.

Such of the Licensed Plumbers as are desirous of renewing their Plumbership Licenses for Bangalore City for the year 1939-40 are hereby informed that applications for the renewal together with the renewal fee of Rs. 10 should be sent in such a way that they reach this Divsion on or before 15th June, 1939. Applications for renewal of Plumbership License received after the due date will be rejected.

Such of those as are willing to become Licensed Plumbers for the first time are requested to furnish a security deposit of Rs. 100 with the application which should reach the office of the Executive Engineer, Water Supply Division, Bangalore, on the date specified above.

V. GANESHA IYER,
Executive Engineer.

BANGALORE DIVISION.

Notification dated 5th May 1939.

1. Sealed tenders will be received at the Office of the Executive Engineer, Bangalore Division, up to 2 P. M. on 27th May 1939, for restoring Sasalu Chinnammankere Reg. No. 136 of Dodballapur Taluk.

2. Tenders in the prescribed form obtainable from the Office of the Executive Engineer, Bangalore Division, should be addressed to the Executive Engineer, Bangalore Division, in a sealed cover and superscribed as "Tender for restoring Sasalu Chinnammankere Reg. No. 136 of Dodballapur Taluk." The name of the tenderer should also be superscribed on the top of the cover.

3. Each tender must be accompanied by a duplicate challan for having credited into the treasury the sum of Rs. 155 under 17-(A) P. W. Deposits. The earnest money of the successful tenderer will be retained as security deposit for the due fulfilment of the contract. Such a deposit in cash will not carry any interest.

4. The tenders will be opened in the presence of such tenderers who wish to be present on 30th May 1939 at Bangalore. The final acceptance of the tender will rest with the Executive Engineer, who does not bind himself to accept the lowest or any tender, or to assign any reason whatever for the rejection of any.

5. The name of the successful tenderer will be posted on the Notice Board in the Executive Engineer's Office in due course. Within eight days of the acceptance of the tender, the successful tenderer will be required to execute an agreement in the departmental schedule contract form, for the due fulfilment of the contract, and for the execution of all items of work in accordance with the Bombay specifications (1931).

6. Failure to comply with the condition 5 above, or to agree to carry out the work in accordance with the specifications and agreements in force, will entail forfeiture of the earnest money.

7. The earnest money of rejected tenders will be returned on submission of the receipt originally granted, along with an application to the Executive Engineer.

8. Copies of contract documents, schedules and drawings may be seen at any time at the Executive Engineer's Office, Bangalore, on all working days between 11 A.M. and 5 P.M. and may be obtained from that officer on payment of Rs. 3 for each.

9. Specific rates should be given for each item in the schedule accompanying the tender and the rates should be in rupees, annas and pies and expressed in words and figures. Tenders offering a percentage reduction on the estimate amount will be rejected.

10. Any rates or lumpsum amounts for the items not called for, if tendered by the tenderer, will not be taken notice of. The rates for such items may be entered in a separate schedule with date and reasons for the same.

11. No alterations which are made by the tenderers in the tender form in the nomenclature of the items of work will be recognised and if corrections are made, the tenders are liable to rejection.

12. There should be no alterations or erasures in the tenders in the rates of items and any corrections made in the rates should be attested to, and the number of corrections, if any, in each page, noted at the foot of the same by the tenderer.

13. No reference should be made to the Public Works Department schedule of rates.

14. In the event of the tender being submitted by a firm, it must be signed separately and severally by each member thereof, or in the event of absence of any partner, it must be signed on his behalf by a person holding power-of-attorney authorising him to do so.

15. When once the rates tendered have been accepted, they will not be revised under any circumstances. In regard to items of work not tendered, the rates for the same will be calculated by the Executive Engineer, on the basis of current rates for materials and labour with a contractor's profit of 5 per cent as may be approved by the Superintending Engineer. This shall be final and legally binding on the tenderer.

16. The quantities given in the schedule are only approximate and the drawings shown to the contractor are only tentative and are liable to alterations, omissions, deductions or additions at the discretion of the Executive Engineer or his representative. The tendered rates will hold good for any quantity whether higher or lower than those given in the enclosed schedule.

17. The work should be completed and handed over in a tidy condition to the Public Works Department by the end of November 1939, failing which, the Executive Engineer may, at his discretion, levy a penalty of Re. 1 per day, which will ordinarily be calculated at 12 per cent per annum on the total outlay as liquidated damages for non-fulfilment of contract, and will be recovered from the contractor's outstandings for the period exceeded by him beyond the time fixed and until the work is completed and handed over.

18. In all matters of disputes of any kind not specially provided for in the agreement or of rates, penalties, measurements, quality of work, etc., the decision of the Chief or the Superintending Engineer shall be final and legally binding.

19. No claim for damages for delays caused by officers of the department in the execution of the work will be considered, whatever may be the reasons for such delays. Contractors should bear this in mind when tendering for the work. Extension of time due to delays caused by the departmental officers will, however, be considered on the merits of each case.

20. The contract should not be sublet.

21. All materials, tools and plant and machinery that will be supplied by the Executive Engineer in the interest of the work shall be accepted by the tenderer at the rates fixed by the Executive Engineer. The tenderer will pay the hire on tools and plant and machinery as per rules from the date of taking over of such machinery, tools and plant from the Stores to the date of return thereto, the dates considered being the dates of acknowledgments of the vouchers in each transaction.

22. The contractor should arrange for the payment of royalty and tolls.

Note.—(*a*) The contractor should at his own cost—

(1) Provide rods, stakes, ropes and labour required in setting out the works.

(2) Provide all necessary scaffolding, centering, labour and appliances for hoisting.

(3) Provide mortar mills and sheds, to keep materials under cover and also for workmen.

(4) Arrange for protecting work during inclement weather.

(5) Supply requisite temporary lights, water cisterns, water pumps and hoses, sieves, parahs, shoring, strutting and other requisite protective appliances during the progress of the work.

(6) Supply all water required for work and workmen and shall provide temporary latrines and drains.

(7) Clean away all dirt, rubbish, superfluous materials and debris as they accumulate.

(8) Provide arrangements for pumping and baling of water from excavations and foundations wherever and whenever necessary with his own pumping apparatus including necessary leading drains, slump pits, etc.

(9) Afford facilities to any other parties employed upon the work by the P. W. D., so that their work may proceed during the progress of the contract, and give such persons the use of ordinary scaffolding and ladders.

(10) The contractor is responsible for all accidents to workmen, etc., on the work and he must take precaution against all risk of accidents and if necessary provide for the same by insurance at the proper time.

(*b*) It is the business of the contractor to make his own arrangements for quarries and supplies of materials.

Approximate quantity required for restoring Sasalu Chinnammankere Reg. No. 136 of Dodballapur Taluk.

No.	Items of work	Unit	Sanctioned		Rate quoted in	
			Quantity	Rate	Figures	Words
	Bund.			Rs. a. p.	Rs.	Rs.
1	Clearing jungle with roots	Grade	17	1 0 0		
2	Removing rough stones above R. L. 53 : 00.	C.yd.	46	0 5 0		
3	Removing and resetting old stone work with new jelly	,,	33	0 12 0		
4	Gravel backing to revetment with lead, lift and consolidation	,,	23	0 6 0		
5	Cutting grips and trenches	Grade	17	2 0 0		
6	Earthwork to bund with the required lead, lift and consolidation	C.yd.	4,810	0 4 0		
7	Turfing the slopes of bund	S.yd.	6,500	0 0 10		
8	Gravelling over the bund with the required lead, lift and consolidation	C.yd.	280	0 6 0		
9	Providing and fixing grade stones on bed slabs including chistling figures, painting and figuring	Each	17	1 8 0		
10	Do B. M. Stones do ..	,,	2	3 0 0		
11	Do Register No. stone do ..	,,	1	3 0 0		
12	Do Index Stones do ..	,,	17	0 6 0		
13	Do Gauge stone as per design with the required masonry chistling figures, painting and figuring, etc., complete	,,	1	12 0 0		
14	Earthwork cutting bund and refilling with consolidation	,,	300	0 5 0		
	Constructing a new sluice in grade No. 3 with 6" dia. Cast Iron Pipe.					
1	Earthwork cut opening the bund and refilling with consolidation	Each	126	0 5 0		
2	Dismantling the old damaged masonry ..	C.ft.	600	0 0 3		
3	Earthwork excavation	C.yd.	17	0 3 6		
4	Burnt stone jelly concrete in surki mortar ..	C.ft.	201	0 3 6		
5	Burnt brick in surki mortar	,,	536	0 4 0		
6	Burnt stone slabs 6" thick one line dressed and fixed in surki mortar	S.ft.	82	0 5 0		
7	Cutting holes in slabs	Each	4	0 12 0		
8	Plastering with surki mortar	Sqr.	5·00	3 8 0		
9	Removing and resetting old stone work with new jelly	C.yd.	25	0 12 0		
10	Gravel backing to revetment with the required lead, lift and consolidation	C.yd.	10	0 6 0		
11	Providing and fixing teak wood plug with iron rod including locking arrangements as per design	,,	1	15 0 0		
12	Carting the 6" dia. pipes from Division Office to spot laying, jointing and fixing, etc., complete	S.ft.	45	0 8 0		
	Waste Weir 5 feet long at right end at R. L. 50 : 00.					
1	Dismantling the existing body wall with slabs	C.ft.	500	0 0 3		
2	Earthwork draft and approach clearing and excavating foundation to body wall ..	C.yd.	487	0 3 6		
3	Concrete in surki mortar	C.ft.	278	0 3 6		
4	Burnt size stone in surki mortar	,,	441	0 4 6		
5	Pointing with cement mortar after raking..	Sqr.	5·00	3 0 0		
6	Burnt stone slabs 6" thick one line dressed and fixed in surki mortar	S.ft.	237	0 5 0		

No.	Items of work	Unit	Sanctioned		Rate quoted in	
			Quantity	Rate	Figures	Words
				Rs. a. p.	Rs.	Rs.
7	Fixing old slabs in surki mortar	S.ft.	83	0 2 0		
8	Carrying the old stones removed in bund above 53 : 00 and using the same for apron and wings with the required new jelly.	C.yd.	133	1 0 0		
9	Cutting joggle joints in slabs	Each joint	8	0 12 0		

N. LAKSHMINARASIMHAIYA,
Executive Engineer.

TUMKUR DIVISION.

Notification dated 2nd May 1939.

Notice is hereby given to the public that the date of receipt of tenders for restoring Kyadigunte Major Tank Reg. No. 139, Pavagada Taluk, is extended to 15th May 1939 up to 2 P.M.

The earnest money required for the work is Rs. 270 which should be credited to the treasury to the head '17 (*a*) P. W. Deposits' and the chellan enclosed to the tender.

Notification dated 5th May 1939.

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer Tumkur Division, up to 2 P.M., on 15th May 1939, for constructing one unit of double block of Operators' Quarters for Electrical Department at Kunigal Town. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of June 1939.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at Tumkur, between the hours of 11 A.M. and 5 P.M.

3. Tenders should be submitted on printed forms, which may be obtained by paying Re. 0-4-0 from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a treasury chellan for Rs. 165 for having credited to '17(a) P.W. Deposits' and be superscribed "Tender for constructing one unit of double block of Operators' Quarters at Kunigal Town" in default of which tenders will be rejected.

5. The final acceptance of any tender will rest with the Executive Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond, in default of which his tender will be considered cancelled and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Executive Engineer's Office in due course. No enquiry regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Rates once tendered will not be enhanced on any account.

10. Rates for non-tendered and non-estimated items shall be as per schedule rates of the department or those fixed by the Executive Engineer after working out data with not more than 10 per cent for contractor's profit.

11. In all matters not specifically provided for and in all matters of dispute about rates, quantities, measurements, quality of works, etc., and in all disputes of any kind, the decision of the Executive Engineer will be final and legally binding.

12. Quotations must be given in words as well as in figures and they must be in specific term of unit shown against each item of work. Any quotation quoted at so much percentage less or more than estimated rate will not be accepted.

13. Only 'Chamundi' brand cement should be used on works.

14. Only Mysore Teakwood should be used.